

PRODUCT DATASHEET

5M rubber, Light bulb string
HYD-G02-A 3000K



Application

- Courtyard
 - Garden
 - Holiday party
 - Scenic area (Landscape light)
 - Above the outdoor dining table
-

Benefits

- Outdoor waterproof lighting
 - The light is soft and bright
 - Meet the basic lighting, but also play a decorative role
 - Wide irradiation area, reduce the dark area of space
-

Features



- Efficient and durable
 - Easy and quick installation
 - International standard E27 screw design, good electrical conductivity
 - High quality Glass lamp shade, high light transmission, bright light
-

Electrical Data

Nominal wattage (W)	4W*light 4
Nominal Voltage (V)	220-240V
Mains Frequency (Hz)	50
Nominal Current (mA)	33
Power Factor λ	0.6
Operating mode	DOB


Photometrical data

Luminous flux ±10% (lm)	454 lm
Luminous efficacy	116 lm/w
Color temperature	3000 K
Light color (designation)	Warm White
Color rendering index Ra	≥80
Standard deviation of color matching	≤5 SDCM
Luminous intensity/cd	50
Flickering	Flicker free
Beam angle	311 °



Dimensions & Weight

Diameter (mm)	45
Height (mm)	74
Product weight (g)	...



Material & Colors

Product color	Clear Glass & Black Lamp holder
Housing color	Black Lamp holder
Body material	PC&Glass
Cover material	Glass
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-10°C~+40 °C
Temperature range at storage	-10°C~+40 °C
Type of connection	Screwless terminal
Type of protection	IP65
Dimmable	No
Mounting type	E27 G40
Mounting location	Ceiling
Application environment	Indoor/Outdoor
LED module replaceable	Not replaceable
With light source	Yes


Certificates & Lifespan

Life (h)	3 years
Certificates	CB LVD EMC RoHS
Standards	ISO9001:2015

Logistical Data

Product code	Dimensions (L*W*H)	Pcs/ carton	G.W. kg	Volume CBM
HYD-G02-A	52*42*52	50	...	0.11357

Installation Method



Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release